Eastern Massachusetts National Wildlife Refuge Complex 73 Weir Hill Road Sudbury, Massachusetts 01776 978/443 4661 978/443 2898 Fax r5rw_gmnwr@fws.gov www.fws.gov/northeast/easternmanwrcomplex

Federal Relay Service for the deaf and hard-of-hearing 1 800/877 8339

U.S. Fish & Wildlife Service http://www.fws.gov

For Refuge Information 1 800/344 WILD

May 2010





U.S. Fish & Wildlife Service

Great Meadows, Assabet River, and Oxbow

NationalWildlife Refuges

Birds



Birding at Great Meadows, Assabet River, and Oxbow National Wildlife Refuges



Red-tailed hawk

The Eastern Massachusetts National Wildlife Refuge Complex is made up of eight national wildlife refuges throughout Massachusetts. This checklist has been developed for three of the Eastern Massachusetts Complex's inland refuges located on the Sudbury, Concord, Nashua, and Assabet Rivers. Great Meadows National Wildlife Refuge is located in the towns of Sudbury, Wayland, Lincoln, Concord, Framingham, Bedford, Carlisle, and Billerica; Oxbow NWR is located in the towns of Harvard, Shirley, Lancaster, and Ayer; and the Assabet River NWR is located in the towns of Sudbury. Maynard, Hudson, and Stow.

The three refuges are composed of approximately 7,000 acres of diverse habitat, including open water, marshes, and uplands. The wetland portions receive heavy use by waterfowl during the fall migration. All of the over 220 species of birds listed here have been recorded in the past ten years.

Red-bellied woodpecker



Neotropical Migratory Birds

Neotropical migratory birds are those species that nest in the United States or Canada, and spend the winter primarily south of our border in Mexico, Central or South America, or in the Caribbean. Many of them, including conspicuous or colorful hawks, hummingbirds, warblers, and tanagers, and less colorful but no less important flycatchers, thrushes, and vireos, are experiencing population declines due to widespread loss of habitats important for their survival. Preservation of many different habitats for nesting, wintering, and migratory stopover sites, like our refuges, are becoming vital for the survival of many of these birds.

Red-winged blackbird



Dr. Thomas G. Barnes/USFWS

This list was prepared in cooperation
with the Massachusetts Audubon
Society, with assistance from
author Richard Walton and other
knowledgeable local birders. Species
are listed in accordance with the
seventh edition A.O.U. checklist and
the 49 th supplement to that checklist.

Symbols used in this list are defined as follows:

Occurrence

Sp Spring March - May Summer June - August Fall September - November December - February W Winter

Abundance

- a Abundant
 - A species which is very numerous.
- **c** Common likely to be seen or heard in suitable habitat.
- **u** Uncommon Present, not certain to be seen.
- Occasional Seen only a few times during a season
- Rare may be present but not every year
- x Accidental Species outside normal migration /wintering range.
- Nesting Species
- Exotic (introduced or escaped)



14	Sing of		
		Total Marie	
	MA		
12		V	
Green heron		A harm	

	Sp	S	F	W
Ducks, Geese, and Swans				
Snow Goose	r		r	
• Canada Goose	a	c	a	c
Mute Swan	r	r	r	
• Wood Duck	c	0	a	r
•Gadwall	0	0	0	0
Eurasian Wigeon	\mathbf{r}		r	
American Wigeon	u		c	r
•American Black Duck	c	u	a	0
• Mallard	a	c	a	u
Blue-winged Teal	0	0	0	
Northern Shoveler	0		0	
Northern Pintail	u		u	0
• Green-winged Teal	c	0	a	0
Canvasback	r		r	
Redhead	r		r	
Ring-necked Duck	a		0	
Greater Scaup	r		r	
Lesser Scaup	\mathbf{r}		r	
Bufflehead	u		0	r
Common Goldeneye	u		r	r
Barrow's Goldeneye				X
Hooded Merganser	u	r	0	0
Common Merganser	u		u	c
Ruddy Duck	\mathbf{r}		0	
Gallinaceous Birds				
•Ring-necked Pheasant*	u	u	u	u
• Ruffed Grouse	u	u	u	u
Wild Turkey	\mathbf{r}	r	r	r
Loons				
Common Loon	\mathbf{r}		r	
Grebes				
Pied-billed Grebe	u		u	u
Cormorants				
Double-crested Cormorant	u		u	
Great Cormorant				X
Herons, Bitterns, and Allies				
- American Bittern	u	u	u	
•Least Bittern	0	0	r	
Great Blue Heron	u	c	c	0
Snowy Egret		r	r	
Little Blue Heron		r		
Cattle Egret	\mathbf{r}		r	
Green Heron	u	u	С	
Black-crowned Night-Heron	r	c	u	
Yellow-crowned Night-Heron		r	r	
Great Egret	u	c	С	0

	Sp	S	F	W
lbises				
Glossy Ibis	r	r	r	
Vultures				
Turkey Vulture	0	0	0	
Hawks, Kites, and Eagles				
Osprey	u	r	u	
Bald Ěagle	\mathbf{r}		r	r
Northern Harrier	0	r	u	r
Sharp-shinned Hawk	0		u	O
Cooper's Hawk	r		r	r
Northern Goshawk Red-shouldered Hawk	0	0	0	О
Red-shouldered Hawk	0	r	r	
 Broad-winged Hawk 	u	u	c	
•Red-tailed Hawk	c	c	c	c
Rough-legged Hawk	\mathbf{r}			r
Falcons				
•American Kestrel	u	u	u	u
Merlin	r		0	
Peregrine Falcon	r		0	
Rails, Gallinules, and Coots				
King Rail	r	r	r	
•Virginia Rail	u	u	u	r
•Sora	u	u	u	r
•Common Moorhen	r	r	r	
American Coot	0		0	r
Plovers				
Black-bellied Plover			r	
American Golden-Plover			r	
Semipalmated Plover	r		0	
•Killdeer	c	u	c	

 $Y\!ellow\ warbler$



	Sp	S	F	W
Sandpipers, Phalaropes, and Allies				
Greater Yellowlegs	0	r	0	
Lesser Yellowlegs	r	0	0	
Solitary Sandpiper	u	u	u	
• Spotted Sandpiper	u	c	u	
Upland Sandpiper	\mathbf{r}		r	
Hudsonian Godwit			X	
Ruddy Turnstone	r		r	
Sanderling	\mathbf{r}		r	
Semipalmated Sandpiper	\mathbf{r}	0	0	
Western Sandpiper			r	
Least Sandpiper	0	0	0	
White-rumped Sandpiper	\mathbf{r}		r	
Baird's Sandpiper			X	
Pectoral Sandpiper	0	u	u	
Dunlin	r		r	
Stilt Sandpiper			r	
Ruff	X		X	
Wilson's Snipe	u	u	r	
• American Woodcock	u	0	u	r
Wilson's Phalarope	r	r	r	
Red-necked Phalarope	\mathbf{X}		X	
Red Phalarope	X		X	
Gulls and Terns				
Bonaparte's Gull	\mathbf{r}	r		
Ring-billed Gull	u	u	u	
Herring Gull	\mathbf{c}	c	c	c
Great Black-backed Gull	O	0	0	c
Black Tern	\mathbf{r}	r		
Doves				
•Rock Pigeon*	u	u	u	0
• Mourning Dove	c	c	c	c
Cuckoos				
•Black-billed Cuckoo	u	u	u	
•Yellow-billed Cuckoo	O	0	0	
Typical Owls				
•Eastern Screech-Owl	u	u	u	u
•Great Horned Owl	u	u	u	u
•Barred Owl	r	r	0	0
Northern Saw-whet Owl			u	u
Long-eared Owl		r		r
Short-eared Owl			r	
Snowy Owl	r	r		
Nightjars				
Common Nighthawk	u		u	
Whip-poor-will	r	r	r	
Swifts				
Chimney Swift	c	c	u	

	Sp	S	F	W		Sp	S	F	W	
						-				
Hummingbirds					Creepers					
• Ruby-throated Hummingbird	0	0	u			u	u	u	u	
Kingfishers • Belted Kingfisher	u	u	u	11	Carolina Wren	0	0	0	o	
Woodpeckers and Allies	u	u	u	u	• House Wren	o c	0	u	U	
Red-headed Woodpecker				r	Winter Wren	r	U	0	r	
Red-bellied Woodpecker	\mathbf{r}	r		r	Sedge Wren	r	r	$^{ m c}$	1	
Yellow-bellied Sapsucker	r	1		r	• Marsh Wren	c	c	u	r	
• Downy Woodpecker	c	c	c	c	Kinglets		Č	O.	•	
Hairy Woodpecker	u	u	u	u	Golden-crowned Kinglet	0		u	0	
• Northern Flicker	c	c	c	0	Ruby-crowned Kinglet	c		c	$\dot{\mathbf{r}}$	
Pileated Woodpecker	0	0	0	0	Gnatcatchers			•	_	
Tyrant Flycatchers				Ť	•Blue-gray Gnatcatcher	0	0			
• Eastern Wood-Pewee	u	u	0		Thrushes					
Yellow-bellied Flycatcher			r		• Eastern Bluebird	0	0	0	0	
• Alder Flycatcher	r	r			•Veery	u	u	0		
• Willow Flycatcher	u	c			Gray-cheeked Thrush	0		0		
Least Flycatcher	\mathbf{r}	r			Bicknell's Thrush	r		r		
Eastern Phoebe	c	c	u		Swainson's Thrush	u		u		
Great Crested Flycatcher	u	c			Hermit Thrush	u	0	u	r	
•Eastern Kingbird	c	c	0		• Wood Thrush	c	u	u		
Shrikes					—•American Robin	c	c	c	u	
Northern Shrike	0		0	0	Mockingbirds and Thrashers					
Vireos					•Gray Catbird	c	c	u	r	
White-eyed Vireo	\mathbf{r}	r			•Northern Mockingbird	c	c	c	c	
• Yellow-throated Vireo	0	0			Brown Thrasher	0	0	0	r	
Blue-headed Vireo	0		0		Starlings					
•Warbling Vireo	c	c	0		• European Starling*	a	a	a	a	
• Red-eyed Vireo	c	c	c		Pipits					
Crows and Jays					American Pipit	r		0		
•Blue Jay	c	a	a		Waxwings					
• American Crow	c	c	a	a	Bohemian Waxwing				X	
Fish Crow	u	u	u	u	• Cedar Waxwing	u	u	c	0	
•Common Raven	u	u	u	u	Wood-Warblers					
Larks					Blue-winged Warbler	0	0			
Horned Lark	r		r		Golden-winged Warbler	r		_		
Swallows Purple Martin	70				Tennessee Warbler Nashville Warbler	0	70	0		
Purple Martin Tree Swallow	r	0			Northern Parula	u	r	0		
• No. Rough-winged Swallow	a	$rac{\mathbf{c}}{\mathbf{r}}$	a		• Yellow Warbler	0	0	0		
• Bank Swallow	o c	c	r u		• Chestnut-sided Warbler	c o	a r	0		
Cliff Swallow	0	0	0		Magnolia Warbler	u	1	0		
Barn Swallow	a	c	a		Cape May Warbler	0		0		
Chickadees and Titmice	а	C	а		Black-throated Blue Warbler	0	r	0		
• Black-capped Chickadee	c	c	a	c	Yellow-rumped Warbler	c	1	c	0	
• Tufted Titmouse	c	u	c	c	Black-throated Green Warbler	u		u	U	
Nuthatches		а		Č	Blackburnian Warbler	0	0	и		
Red-breasted Nuthatch	0	r	u	0	Pine Warbler	u	0	r		
• White-breasted Nuthatch	c	c	c	c	Prairie Warbler	0	0	0		
	-				Palm Warbler	c		u	r	
										

	Sp	S	F	W
Bay-breasted Warbler	0		0	
Blackpoll Warbler	0		a	
•Black-and-white Warbler	c	0	0	
- American Redstart	0	0	u	
Prothonotary Warbler	r	r		
• Ovenbird	u	u	0	
Northern Waterthrush	u	r	u	
Mourning Warbler	\mathbf{r}	r		
• Common Yellowthroat	c	c	c	r
Wilson's Warbler	0		0	
Canada Warbler	0			
Yellow-breasted Chat	\mathbf{r}		r	
Tanagers				
•Scarlet Tanager	c	u	0	
Sparrows				
• Eastern Towhee	c	u	u	r
American Tree Sparrow	u		c	c
•Chipping Sparrow	u	c	u	
•Field Sparrow	u	u	u	u
Vesper Sparrow	r		r	
Savannah Sparrow	u	r	c	r
Nelson's Sparrow			0	
Fox Sparrow	0		0	r
•Song Sparrow	c	c	c	u
Lincoln's Sparrow	\mathbf{r}		u	
•Swamp Sparrow	c	c	c	0
White-throated Sparrow	c		c	0
White-crowned Sparrow	0		0	
Dark-eyed Junco	c		c	c
Snow Bunting	\mathbf{r}		r	r

Birding can be fun for everyone.



	Sp	S	F	W
Cardinals				
• Northern Cardinal	c	c	c	c
• Rose-breasted Grosbeak	c	u	0	
•Indigo Bunting	0	0	0	
Dickcissel			r	
Blackbirds				
$_$ Bobolink	u	u	u	
- Red-winged Blackbird	a	a	a	0
Eastern Meadowlark	r	r	r	r
Rusty Blackbird	c		c	r
• Common Grackle	c	c	a	r
Brown-headed Cowbird	c	c	c	0
Orchard Oriole	0	0		
-Baltimore Oriole	c	u	0	
Finches				
Pine Grosbeak				r
Purple Finch	0	r	0	0
House Finch	u	u	c	u
Common Redpoll	r			r
Pine Siskin	r		r	r
• American Goldfinch	c	c	c	0
Evening Grosbeak			r	r
Old World Sparrow				
- House Sparrow*	c	c	c	c

Please re-use this brochure or return your copy for others to enjoy.

 $Chipping\ sparrow$

